Wind Power GeoPlanner™

AM and FM Radio Report

Hoffman Falls



Prepared on Behalf of Liberty Renewables Inc.

September 22, 2023





Table of Contents

1.	Introduction	- 1 -
2.	Summary of Results	- 1 -
3.	Impact Assessment	- 5 -
4.	Recommendations	- 5 -
5.	Contact	- 5 -



1. Introduction

Comsearch analyzed AM and FM radio broadcast stations whose service could potentially be affected by the proposed Hoffman Falls Wind Project in Madison County, New York (the Project). All AM and FM stations within 30 kilometers will be considered in the analysis based on proximity coverage. The Project area of interest is defined as the rectangular area with a minimum of a 2-mile buffer from all turbine locations as noted in Figures 1 and 2.

2. Summary of Results

AM Radio Analysis

Comsearch found four database records¹ for AM stations within approximately 30 kilometers of the Project, as shown in Table 1 and Figure 1. The closest station to the project, WMCR, which broadcasts out of Oneida, New York, is located north of the Project, and is approximately 14.40 km from the nearest turbine location. WMCR is licensed to operate at two different power levels, a higher transmit power for daytime operations and a lower transmit power for nighttime operations.

ID	Call Sign	Status ²	Frequency (kHz)	Transmit ERP ³ (kW)	Operation Time	Latitude (NAD 83)	Longitude (NAD 83)	Required Separation Distance ⁴ (km)	Distance to Nearest Turbine (km)
1	WMCR	LIC	1600	1.0	Daytime	43.084511	-75.692683	0.19	14.40
2	WMCR	LIC	1600	0.02	Nighttime	43.084511	-75.692683	0.19	14.40
3	WSKO	LIC	1260	5.0	Daytime	43.025622	-76.064922	2.38	25.23
4	WSKO	LIC	1260	5.0	Nighttime	43.025622	-76.064922	2.38	25.23

¹ Comsearch makes no warranty as to the accuracy of the data included in this report beyond the date of the report. The data presented in this report is derived from the AM/FM station's FCC license and governed by Comsearch's data license notification and agreement located at http://www.comsearch.com/files/data_license.pdf.

 $^{^{2}}$ LIC = Licensed and operational station; APP = Application for construction permit; CP=Construction permit granted; CP MOD = Modification of construction permit.

³ ERP = Transmit Effective Radiated Power.

⁴ The required separation distance is based on the lesser of 10 wavelengths or 3 kilometers for directional antennas and 1 wavelength for non-directional antennas.



Liberty Renewables Inc. Wind Power GeoPlanner™ AM and FM Radio Report Hoffman Falls




Figure 1: AM Radio Stations within 30 km





FM Radio Analysis

Comsearch determined that there were twenty-seven database records for FM stations within a 30-kilometer radius of the Project, as shown in Table 2 and Figure 2. All of these stations are currently licensed and operating, six of which are translator stations and seven of which are auxiliary (backup) stations that operate with limited range. The closest station to the Project, WMVQ, is located just west of the Project, and is approximately 2.52 km from the nearest turbine.

ID	Call Sign	Status⁵	Service ⁶	Frequency (MHz)	Transmit ERP ⁷ (kW)	Latitude (NAD 83)	Longitude (NAD 83)	Distance to Nearest Turbine (km)
1	WMVQ	LIC	FM	90.5	0.049	42.970056	-75.784889	2.52
2	W268AE	LIC	FX	101.5	0.075	43.065889	-75.667667	13.18
3	W279CK	LIC	FX	103.7	0.1	43.065889	-75.667667	13.18
4	W257BE	LIC	FX	99.3	0.012	42.811722	-75.532667	14.32
5	WRCU-FM	LIC	FM	90.1	1.9	42.811278	-75.533444	14.32
6	W266DJ	LIC	FX	101.1	0.25	43.084500	-75.692667	14.40
7	WCIS-FM	LIC	FM	105.1	33.0	42.782833	-75.840722	18.02
8	WCIS-FM	LIC	FS	105.1	1.15	42.782833	-75.840722	18.02
9	WCIT-FM	LIC	FM	106.3	1.75	43.036722	-75.443500	20.08
10	WUMX	LIC	FM	102.5	27.0	43.037278	-75.444056	20.09
11	WSKS	LIC	FM	97.9	1.5	43.037306	-75.444056	20.09
12	WNTQ	LIC	FM	93.1	97.0	42.946722	-76.024083	20.44
13	WNTQ	LIC	FS	93.1	41.0	42.946722	-76.024083	20.44
14	WFRG-FM	LIC	FM	104.3	100.0	43.056444	-75.416833	23.15
15	WFRG-FM	LIC	FS	104.3	10.0	43.056444	-75.416833	23.15
16	WFRG-FM	LIC	FS	104.3	10.0	43.057583	-75.417389	23.20
17	WHCL-FM	LIC	FM	88.7	0.27	43.051167	-75.406278	23.46
18	W237AY	LIC	FX	95.3	0.25	43.007000	-76.093528	26.88
19	WAQX-FM	LIC	FM	95.7	25.0	43.007000	-76.093528	26.88
20	WAQX-FM	LIC	FS	95.7	20.0	43.007000	-76.093528	26.88
21	WWHT	LIC	FM	107.9	50.0	42.955889	-76.109639	27.43
22	WTKW	LIC	FM	99.5	5.7	43.156722	-75.956583	27.47
23	WTKW	LIC	FS	99.5	3.2	43.156722	-75.956583	27.47
24	WYYY	LIC	FS	94.5	25.0	42.946167	-76.117972	28.10
25	WYYY	LIC	FM	94.5	100.0	42.946167	-76.118250	28.12
26	WCNY-FM	LIC	FM	91.3	8.3	42.944944	-76.118389	28.14
27	W229CU	LIC	FX	93.7	0.055	43.036500	-76.119083	29.80

Table 2: FM Radio Stations within 30 km

⁵ LIC = Licensed and operational station; APP = Application for construction permit; CP=Construction permit granted; CP MOD = Modification of construction permit.

⁶ FM = FM broadcast station; FX = FM translator station; FS = FM auxiliary (backup) station; FB = FM booster station.

⁷ ERP = Transmit Effective Radiated Power.



Liberty Renewables Inc. Wind Power GeoPlanner™ AM and FM Radio Report Hoffman Falls




Figure 2: FM Radio Stations within 30 km



Liberty Renewables Inc. Wind Power GeoPlanner™ AM and FM Radio Report Hoffman Falls

3. Impact Assessment

The exclusion distance for AM broadcast stations varies as a function of the antenna type and broadcast frequency. For directional antennas, the exclusion distance is calculated by taking the lesser of 10 wavelengths or 3 kilometers. For non-directional antennas, the exclusion distance is simply equal to 1 wavelength. Potential problems with AM broadcast coverage are only anticipated when AM broadcast stations are located within their respective exclusion distance limit from wind turbine towers. The closest AM station (WMCR) is located 14.40 km from the nearest turbine. As there were no stations found within 3 kilometers of the Project, which is the maximum possible exclusion distance based on a directional AM antenna broadcasting at 1000 KHz or less, the Project is not anticipated to impact the coverage of local AM stations.

The coverage of FM stations is generally not sensitive to interference due to wind turbines. This is especially true when large objects (e.g., wind turbines) are located in the far field region of the radiating antenna, which avoids the risk of distorting its radiation pattern. Station WMVQ, located approximately 2.52 km from the nearest proposed wind turbine, is the closest FM station. At this distance there should be adequate separation to avoid radiation pattern distortion.

4. Recommendations

Since no impact on the licensed and operational AM or FM broadcast stations was identified in our analysis, no recommendations or mitigation techniques are required for this Project.

5. Contact

For questions or information regarding the AM and FM Radio Report, please contact:

Contact person:	David Meyer
Title:	Senior Manager
Company:	Comsearch
Address:	21515 Ridgetop Circle, Suite 300, Sterling, VA 20166
Telephone:	703-726-5656
Fax:	703-726-5595
Email:	David.Meyer@CommScope.com
Web site:	www.comsearch.com